


POWER TOOLS 2022

Efficiency Tools, Enjoy your Tools

ELECTRIC BLOWER 300W ETEB01-300

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	300W
No-load Speed:	13000rpm
Wind Volume:	2.3m ³ /min
Carton Box:	53.5x45.5x37.5cm
G.W./N.W.:	16/14.5kg




ELECTRIC BLOWER 400W ETEB01-400

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	400W
No-load Speed:	14000rpm
Wind Volume:	2.5m ³ /min
Carton Box:	54x51.5x38.5cm
G.W./N.W.:	16.5/15kg




ELECTRIC BLOWER 400W ETEB02-400

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	400W
No-load Speed:	14000rpm
Wind Volume:	2.5m ³ /min
Carton Box:	55.5x32.5x40.5cm
G.W./N.W.:	12/11kg



ELECTRIC BLOWER 500W ETEB02-500

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	500W
No-load Speed:	14000rpm
Wind Volume:	2.8m ³ /min
Carton Box:	55.5x32.5x40.5cm
G.W./N.W.:	12/11kg




ELECTRIC BLOWER 600W ETEB02-600


Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Input Power: 600W
 No-load Speed: 13000rpm
 Wind Volume: 3.0m³/min
 Carton Box: 59.5x32.5x40.5cm
 G.W./N.W.: 13/12kg

**ELECTRIC BLOWER 700W ETEB01-700**


Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Input Power: 700W
 No-load Speed: 1000-13000rpm
 Wind Volume: 3.3m³/min
 Carton Box: 58.5x57x38.5cm
 G.W./N.W.: 22.5/21kg

**ELECTRIC BLOWER 800W ETEB01-800**

Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Input Power: 800W
 No-load Speed: 1000-13000rpm
 Wind Volume: 3.5m³/min
 Carton Box: 78x39x44cm
 G.W./N.W.: 18/16kg


**VIBRATOR MACHINE 700W ETVM01-700**

Rated Voltage: 220-240V
 Frequency: 50-60Hz
 Rated Input Power: 700W
 No-load Speed: 4100rpm
 Vibrator Diameter: 35mm
 Carton Box: 42x34x32.5cm
 G.W./N.W.: 18/17kg



ELECTRIC SCREWDRIVER ETEDO2-280

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	280W
No-load Speed:	0-750rpm
Chuck Size:	10mm
Chuck Type:	Self-locking
Impact:	No
Drilling Diameter:	Wood:15mm Steel:10mm Concrete:6.5mm




ELECTRIC SCREWDRIVER ETEDO1-300

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	300W
No-load Speed:	0-750rpm
Chuck Size:	10mm
Chuck Type:	Self-locking
Impact:	No
Drilling Diameter:	Wood:15mm Steel:10mm Concrete:6.5mm




ELECTRIC DRILL 10MM ETEDO1-450

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	450W
No-load Speed:	0-1800rpm
Chuck Size:	10mm
Chuck Type:	Key
Impact:	No
Drilling Diameter:	Wood:18mm Steel:10mm Concrete:6.5mm




ELECTRIC DRILL 10MM**ETED01-500**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	500W
No-load Speed:	0-3000rpm
Chuck Size:	10mm
Chuck Type:	Self-locking
Impact:	No
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm

**ELECTRIC DRILL 10MM****ETED02-500**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	500W
No-load Speed:	0-3000rpm
Chuck Size:	10mm
Chuck Type:	Self-locking
Impact:	No
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm


**ELECTRIC DRILL 10MM****ETED03-500**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	500W
No-load Speed:	0-3000rpm
Chuck Size:	10mm
Chuck Type:	Self-locking
Impact:	No
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm




IMPACT DRILL 13MM**ETID01-13RE**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	600W/710W
No-load Speed:	0-2800rpm/0-3000rpm
Chuck Size:	13mm
Chuck Type:	Key
Impact Times:	0-4300bpm/0-4500bpm
Drilling Diameter:	Wood:30mm Steel:13mm Concrete:16mm

**IMPACT DRILL 550W****ETID01-550**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	550W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Chuck Type:	Key
Impact Times:	0-4000bpm
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm

**IMPACT DRILL 10MM****ETID02-550**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	550W
No-load Speed:	0-2800rpm
Chuck Size:	13mm
Chuck Type:	Key
Impact Times:	0-4000bpm
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm



IMPACT DRILL 600W**ETID02-600**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	600W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Chuck Type:	Key
Impact Times:	0-4000bpm
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm

**IMPACT DRILL 710W****ETID01-710**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	710W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Chuck Type:	Key
Impact Times:	0-4000bpm
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm


**IMPACT DRILL 710W****ETID02-710**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	710W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Chuck Type:	Key
Impact Times:	0-4000
Drilling Diameter:	Wood:20mm Steel:10mm Concrete:13mm



IMPACT DRILL 900W**ETID01-900**


Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	900W
No-load Speed:	0-3000rpm
Chuck Size:	13mm
Chuck Type:	Key
Impact Times:	0-4300bpm
Drilling Diameter:	Wood:30mm Steel:13mm Concrete:16mm

**HOT AIR GUN 2000W****ETHG01-2000**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	2000W
Temperature:	50-550°C
Air Flow:	250-500L/min
Continue Use:	500hrs
Motor Type:	DC Brush Type
Heating Element:	Mica

**ELECTRIC SPRAYER 550W****ETES01-550**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	550W
No-load Speed:	0-16000rpm
Nozzle Size:	1.5/2.0/2.5/3.0mm
Max.Paint Viscosity:	60DIN-S
Max.Spraying Pressure:	0.1-0.2bar
Flow Rate:	700ml
Capacity:	850ml



ANGLE GRINDER 600W**ETAG01-760**


Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	600W
No-load Speed:	11000rpm
Disc Diameter:	100mm
Spindle Thread:	M10
Speed Control:	No
Carton Box:	58x31.5x25cm
G.W./N.W.:	18.50/17.50kg

**ANGLE GRINDER 800W****ETAG01-800**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	800W
No-load Speed:	11000rpm
Disc Diameter:	100/115mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	58x31.5x25cm
G.W./N.W.:	21.00/20.00kg

**ANGLE GRINDER 800W****ETAG02-800**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	800W
No-load Speed:	11000rpm
Disc Diameter:	100/115mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	53x33.5x25.5cm
G.W./N.W.:	21/20kg



ANGLE GRINDER 850W**ETAG01-850**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	850W
No-load Speed:	11000rpm
Disc Diameter:	100/115/125mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	62x35x24cm
G.W./N.W.:	23/21kg

**ANGLE GRINDER 850W****ETAG02-850**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	850W
No-load Speed:	11000rpm
Disc Diameter:	100/115/125mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	62x42x24cm
G.W./N.W.:	23.50/21.50kg

**ANGLE GRINDER 850W****ETAG03-850**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	850W
No-load Speed:	11000rpm
Disc Diameter:	100/115/125mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	62x35x24cm
G.W./N.W.:	23/21kg



ANGLE GRINDER 900W**ETAG01-900**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	900W
No-load Speed:	11000rpm
Disc Diameter:	100/115/125mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	60x32x23cm
G.W./N.W.:	21/20kg

**ANGLE GRINDER 900W****ETAG02-900**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	900W
No-load Speed:	11000rpm
Disc Diameter:	100/115/125mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	60x32x23cm
G.W./N.W.:	21/20kg

**ANGLE GRINDER 1000W****ETAG01-1000**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1000W
No-load Speed:	11000rpm
Disc Diameter:	100/115/125mm
Spindle Thread:	M10/M14
Speed Control:	No
Carton Box:	60x32x23cm
G.W./N.W.:	22/21kg



ANGLE GRINDER 2400W**ETAG01-2400**


Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	2400W
No-load Speed:	8500/6000rpm
Disc Diameter:	180/230mm
Spindle Thread:	M14
Speed Control:	No
Carton Box:	59x40.5x26.5cm
G.W./N.W.:	25/23kg

**ANGLE POLISHER 1200W****ETAP01-1200**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1200W
No-load Speed:	600-3000rpm
Disc Diameter:	180mm
Spindle Thread:	M14
Speed Control:	Yes
Carton Box:	48x31.5x32cm
G.W./N.W.:	15/12kg

**ANGLE POLISHER 1200W****ETAG02-1200**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1200W
No-load Speed:	600-3000rpm
Disc Diameter:	180mm
Spindle Thread:	M14
Speed Control:	Yes
Carton Box:	47x30x32cm
G.W./N.W.:	15/12kg




ROLLER POLISHER 1200W ETRP01-1200

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1200W
No-load Speed:	600-3000rpm
Disc Diameter:	120x100mm
Spindle Thread:	M8
Speed Control:	Yes
Carton Box:	52x44x25cm
G.W./N.W.:	19/17kg




ROLLER POLISHER 1300W ETRP01-1300

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1300W
No-load Speed:	900-3700rpm
Wheel Size:	120x100mm
Spindle Thread:	M8
Speed Control:	Yes
Carton Box:	48x42.5x29cm
G.W./N.W.:	16.5/15kg



ROLLER POLISHER 1380W ETRP01-1380

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1380W
No-load Speed:	600-3000rpm
Wheel Size:	120x100mm
Spindle Thread:	M8
Speed Control:	Yes
Carton Box:	52x45.5x31cm
G.W./N.W.:	22/21kg



ROTARY HAMMER 500W**ETRH2-20**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	500W
No-load Speed:	0-1000rpm
Impact Times:	0-3900bpm
Impact Energy:	1.7J
Optimum Drilling Range:	4-12mm
Max Hole Opening:	Concrete:20mm Steel:13mm Wood:30mm

**ROTARY HAMMER 650W****ETRH2-22**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	650W
No-load Speed:	0-1400rpm
Impact Times:	0-4400bpm
Impact Energy:	2.2J
Optimum Drilling Range:	6-16mm
Max Hole Opening:	Concrete:22mm Steel:13mm Wood:30mm

**ROTARY HAMMER 900W****ETRH2-28**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	900W
No-load Speed:	0-1100rpm
Impact Times:	0-4900bpm
Impact Energy:	3.0J
Optimum Drilling Range:	6-18mm
Max Hole Opening:	Concrete:26mm Steel:13mm Wood:30mm



ROTARY HAMMER 900W**ETRH3-28**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	900W
No-load Speed:	0-1100rpm
Impact Times:	0-4900bpm
Impact Energy:	3.0J
Optimum Drilling Range:	6-18mm
Max Hole Opening:	Concrete:28mm Steel:13mm Wood:30mm

**ROTARY HAMMER 900W****ETRH4-28**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	900W
No-load Speed:	0-1100rpm
Impact Times:	0-4900bpm
Impact Energy:	3.0J
Optimum Drilling Range:	6-18mm
Max Hole Opening:	Concrete:28mm Steel:13mm Wood:30mm


**ROTARY HAMMER 1000W****ETRH2-30**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1000W
No-load Speed:	0-1300rpm
Impact Times:	0-5100bpm
Impact Energy:	3.3J
Optimum Drilling Range:	8-22mm
Max Hole Opening:	Concrete:30mm Steel:13mm Wood:30mm




DEMOLITION HAMMER**ETDH01-1200**


Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1050W
Impact Times:	3900bpm
Impact Energy:	15J
Cylinder:	30mm
Tool Holders:	SDS Hex
Carton Box:	52x36x30cm
G.W./N.W.:	23/21kg

**DEMOLITION HAMMER****ETDH02-1200**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1050W
Impact Times:	3900bpm
Impact Energy:	15J
Cylinder:	35mm
Tool Holders:	SDS Hex
Carton Box:	52x36x30cm
G.W./N.W.:	24/22kg

**DEMOLITION HAMMER****ETDH01-1350**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1350W
Impact Times:	3900bpm
Impact Energy:	17.5J
Cylinder:	35mm
Tool Holders:	SDS Hex
Carton Box:	54x37x37.5cm
G.W./N.W.:	30/28kg



DEMOLITION HAMMER

ETDH01-1500


Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1500W
Impact Times:	1900bpm
Impact Energy:	45J
Cylinder:	30mm
Tool Holders:	SDS Hex
Carton Box:	71x17x30cm
G.W./N.W.:	23/21kg



DRYWALL SANDER 225MM

ETDS01-750


Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	750W
No-load Speed:	900-1800rpm
Sanding Motion:	Rotation
Grinding Pad Diameter:	214mm
Sandpaper Diameter:	225mm
Carton Box:	72x26x23cm
G.W./N.W.:	7/6kg



ELECTRIC MIXER 1200W


ETEM01-1200

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1200W
No-load Speed:	0-1000rpm
Dia .of Mixing Bar:	120mm
Tool Connection:	M14
Speed Control:	Yes
Carton Box:	62x31.5x40cm
G.W./N.W.:	19.5/18.5kg



DIE GRINDER 135W**ETDG01-135**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	135W
No-load Speed:	10000-31000rpm
Drilling Diameter:	1-3.2mm
Case Pack:	20pcs
Accessories:	26pcs
Carton Box:	48x31x34cm
G.W./N.W.:	15/13kg

**DIE GRINDER 180W****ETDG01-180**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	180W
No-load Speed:	10000-32000rpm
Drilling Diameter:	1-3.2mm
Case Pack:	20pcs
Accessories:	26pcs
Carton Box:	48x31x34cm
G.W./N.W.:	20/18kg


**DIE GRINDER 280W****ETDG280**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	280W
No-load Speed:	0-33000rpm
Drilling Diameter:	1-6mm
Case Pack:	20pcs
Accessories:	26pcs
Carton Box:	48x31x34cm
G.W./N.W.:	22/20kg




DIE GRINDER 180W**ETDG211-180**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	180W
No-load Speed:	0-33000rpm
Drilling Diameter:	1-3.2mm
Case Pack:	10pcs
Accessories:	211pcs
Carton Box:	70x35.5x31cm
G.W./N.W.:	18/16kg

**DIE GRINDER 180W****ETDG40-180**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	180W
No-load Speed:	10000-32000rpm
Drilling Diameter:	1-3.2mm
Case Pack:	20pcs
Accessories:	40pcs
Carton Box:	43x31x37cm
G.W./N.W.:	18/16kg

**DIE GRINDER 400W****ETDG01-550**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	550W
No-load Speed:	0-20000rpm
Drilling Diameter:	1-6mm
Case Pack:	10pcs
Accessories:	26pcs
Carton Box:	54x43.5x17cm
G.W./N.W.:	20/18kg




ELECTRIC SANDER 320W ETOS320

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	320W
No-load Speed:	14000rpm
Dimensions Of Base:	90x180mm
Carton Box:	65.5x34x35cm
G.W./N.W.:	25/23kg



ELECTRIC SANDER 270W ETPS270

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	270W
No-load Speed:	14500rpm
Dimensions Of Base:	100x110mm
Carton Box:	52x37.5x31.5cm
G.W./N.W.:	24/22kg




ELECTRIC SANDER 300W ETPS300

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	300W
No-load Speed:	8000-14000rpm
Dimensions Of Base:	125mm
Carton Box:	54x44x34cm
G.W./N.W.:	24/22kg



LAMINATE TRIMMER 550W ETLT550

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	550W
No-load Speed:	32000rpm
Collet Diameter:	6/6.35mm
Carton Box:	63x29x31cm
G.W./N.W.:	19/17kg



ELECTRIC PLANER 600W ETEP01-600

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	600W
No-load Speed:	16000rpm
Max Planing Depth:	1mm
Max Planing Width:	82mm
Rabbeting depth:	7mm
Carton Box:	50x30x39cm
G.W./N.W.:	18/15kg



ELECTRIC PLANER 660W ETEP01-660

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	660W
No-load Speed:	16300rpm
Max Planing Depth:	1mm
Max Planing Width:	82mm
Rabbeting depth:	7mm
Carton Box:	50x30x39cm
G.W./N.W.:	18/15kg




ELECTRIC ROUTER 1500W ETER01-1500

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1500W
No-load Speed:	20000rpm
Chuck Diameter:	12mm
Cutting Depth:	0-55mm
Carton Box:	60x42.5x26cm
G.W./N.W.:	24/22kg



JIG SAW 500W**ETJS01-500**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	500W
No-load Speed:	0-3000rpm
Cutting Capacity:	Wood 55mm Steel 6mm
Bevel Cut:	0-45 degree
Carton Box:	45.5x37.5x23cm
G.W./N.W.:	16.5/15kg

**JIG SAW 710W****ETJS01-710**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	710W
No-load Speed:	0-3000rpm
Cutting Capacity:	Wood 70mm Steel 6mm
Bevel Cut:	0-45 degree
Carton Box:	57.5x47x24.5cm
G.W./N.W.:	24.5/23kg

**SHARPENING MACHINES****ETECS01-85**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1000W
No-load Speed:	4800rpm
Wheel Size:	108mm, 4-1/4"
Thickness:	3.2mm, 1/8"
Table/Vise Angle:	35 degree Right to
Carton Box:	76x30x39cm
G.W./N.W.:	21/20kg



MABLE CUTTER 1200W**ETMC01-1200**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1200W
No-load Speed:	11000rpm
Cutting Disc Diameter:	125mm
Cutting Capacity:	34mm
Motor Height:	55mm
Carton Box:	45.5x25x36.5cm
G.W./N.W.:	15.5/14kg

**MABLE CUTTER 1500W****ETMC01-1500**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1500W
No-load Speed:	12800rpm
Cutting Disc Diameter:	110/115/125mm
Cutting Capacity:	34mm
Motor Height:	50mm
Carton Box:	73x25x41cm
G.W./N.W.:	22.5/21kg

**MABLE CUTTER 1650W****ETMC01-1650**

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1650W
No-load Speed:	13000rpm
Cutting Disc Diameter:	110/115/125mm
Cutting Capacity:	34mm
Motor Height:	58mm
Carton Box:	65x25x39cm
G.W./N.W.:	25/23kg



CUT OFF MACHINE 2200W ETCM02-2200

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	2200W
No-load Speed:	3900rpm
Cutting Disc Diameter:	355mm
Cutting Capacity:	100mm
Motor Height:	50mm
Carton Box:	53x30x40cm
G.W./N.W.:	12.5/10.5kg



CUT OFF MACHINE 2400W ETCM02-2400

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	2400W
No-load Speed:	3900rpm
Cutting Disc Diameter:	355mm
Cutting Capacity:	100mm
Motor Height:	50mm
Carton Box:	53x30x40cm
G.W./N.W.:	13.5/12kg



TABLE SAW 1800W ETTB01-1800

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1800W
No-load Speed:	5000rpm
Table Size:	645x940mm
Cutting Capacity:	254mm
Blade Teeth:	60T
Cutting Range:	0-45 Degree
Operating Height:	829mm
Carton Box:	72x57x38cm
G.W./N.W.:	24/21kg



HIGH PRESSURE WASHER ETPW01-1300

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1300W
No-load Speed:	2800rpm
Rated Flow:	10L/min
Max Pressure:	100bar
Adjust Valve:	Yes
Carton Box:	40x27.5x30cm
G.W./N.W.:	11/10kg



HIGH PRESSURE WASHER ETPW02-1300

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1300W
No-load Speed:	2800rpm
Rated Flow:	10L/min
Max Pressure:	100bar
Adjust Valve:	No
Carton Box:	40x27.5x30cm
G.W./N.W.:	11/10kg



HIGH PRESSURE WASHER ETPW03-1300

Rated Voltage:	220-240V
Frequency:	50-60Hz
Rated Input Power:	1300W
No-load Speed:	2800rpm
Rated Flow:	10L/min
Max Pressure:	100bar
Adjust Valve:	Yes
Carton Box:	40x27.5x30cm
G.W./N.W.:	11/10kg

